

River Redgum

Eucalyptus Camaldulensis

Redgum has been used throughout Australia for decades in various applications, from retaining walls and garden edging to slabs for furniture. With the supply of Redgum limited, Outlast has become one of a few suppliers left in the Melbourne region.



Redgum "natural edge" slabs

Origin- River Redgum grows adjacent to the inland rivers of mainland Australia.

PROPERTIES (in accordance to the AS 5604)

Strength Group

Unseasoned	S5 (Medium)
Seasoned	SD5 (Medium)

Durability

In-Ground	Class 2 (15 – 25 years)
Above-Ground	Class 1 (40 years +)

Density

Unseasoned	1130 kg/m ³
Seasoned	910 kg/m ³

Hardness

Unseasoned	7.7Kn (Janka)
Seasoned	10Kn (Janka)

Lyctid Borer Susceptibility Susceptible

Termite Resistant Resistant

USES

- Posts
- Flooring
- Decking
- Landscaping
- Panelling
- Heavy Furniture
- Sills
- Decorative Turnery

GENERAL COMMENTS

It works well and offers great versatility in its uses.

Unsuitable for steam bending because of the difficulty of obtaining the necessary straight-grained timber.

Provided the grain is relatively straight it has good resistance to surface checking when exposed to the weather.