

Yellow Stringybark

Eucalyptus muelleriana



Yellow Stringybark gets its name from the thick, fibrous bark that is found on the logs. Stringybark logs produce a nice yellow timber which makes it great for visual applications like decking, flooring and furniture. Yellow Stringybark is sourced from both plantations and forests.



Yellow Stringybark decking(80 x 19) used for seating.

Origin- Yellow Stringybark grows in the southern New South Wales and eastern Victoria Region.

PROPERTIES (in accordance to the AS 5604)

Strength Group

Unseasoned	S3 (Reasonably High)
Seasoned	SD3 (Reasonably High)

Durability

In-Ground	Class 3 (5 – 15 years)
Above-Ground	Class 2 (15 – 25 years)

Density

Unseasoned	1100 kg/m ³
Seasoned	880 kg/m ³

Hardness

Unseasoned	6.3Kn (Janka)
Seasoned	8.5Kn (Janka)

Lyctid Borer Susceptibility Not Susceptible

Termite Resistant Resistant

USES

- Posts
- Flooring
- Decking
- Landscaping
- Panelling
- Heavy Furniture
- Sills
- Decorative Turnery

GENERAL COMMENTS

Care is needed in drying to minimise surface checking and splitting.

Some collapse.

Unsuitable for steam bending.