

Grey Ironbark

Eucalyptus Paniculata

IRONBARK
The versatile Australian hardwood

Grey Ironbark is one of the premium hardwoods in Australia. Indigenous Australians use it to make spear throwers and boil its bark for treating sores. It is a particularly dense, strong and durable timber, with a truly broad range of applications.

Origin- Grey Ironbark grows in the coastal districts of New South Wales and Queensland.



Ironbark Boardwalk decking (135 x 32mm)

PROPERTIES (in accordance to the AS 5604)

Strength Group

| | |
|------------|-----------------|
| Unseasoned | S1 (Very High) |
| Seasoned | SD1 (Very High) |

Durability

| | |
|--------------|----------------------|
| In-Ground | Class 1 (40 years +) |
| Above-Ground | Class 1 (40 years +) |

Density

| | |
|------------|------------------------|
| Unseasoned | 1210 kg/m ³ |
| Seasoned | 1090 kg/m ³ |

Hardness

| | |
|------------|--------------|
| Unseasoned | 11Kn (Janka) |
| Seasoned | 14Kn (Janka) |

Lyctid Borer Susceptibility Not Susceptible

Termite Resistant Resistant

USES

- Posts
- Flooring
- Decking
- Landscaping
- Heavy Engineering Construction
- Poles
- Piles
- Shipbuilding
- Marine Construction

GENERAL COMMENTS

The wood is very heavy, hard and compact, making working with the timber difficult.

It is hard to nail and planes with difficulty.

Slow in drying and needs careful handling to avoid surface checking.